



## B&B Yacht Designs

342 Chapel Creek Drive, NC 28515  
Website: [www.bandbyachtdesigns.com](http://www.bandbyachtdesigns.com)  
Builder's forum: [www.messing-about.com/B&B](http://www.messing-about.com/B&B)

### Spindrift hardware:

Hardware is common to all spindrift models (9,10,11, and 12) with the exception of the S-12 which has an added mainsheet purchase.

### Rudder hardware:

- |   |                |  |
|---|----------------|--|
| 1 | RL-358L        | -pintle long                                 |
| 1 | RL-358S        | -pintle short                                |
| 2 | RL-358         | -Gudgeons                                    |
| 1 | RL-337         | -rudder stop                                 |
| 1 | CL257          | -Auto release Clam cleat for rudder downhaul |
| 1 | RF1127         | -tiller extension swivel                     |
| 1 | RF PNPE 43     | -tiller extension clip                       |
| 1 | Copper ferrule | -for rudder downhaul                         |

Rudder hardware is common to all models and options



Notes: Standard 1/2" pvc pipe is an excellent and cheap material for tiller extensions and fits the tiller extension hardware.

**Standard hardware (common to all models and options):**

- 1 RL340 cheek block for outhaul
- 2 RL 180 boom bails for hanging mainsheet block and boom vang
- 3 CL203 plastic clamcleats (outhaul, downhaul, vang)
- 3 RL201 single blocks (two for the vang and one for the downhaul)
- 1 RL328 Gooseneck (except for reefing sail, see reefing hardware)
- 1 H073 Small eyestay for outhaul attachment to boom.
- 3 H072 D-shackles for attaching blocks and vang to mast base
- 1 Aluminum plate for mast base

Standard rigging parts are common to all Spindrift models



**Non nesting sheeting hardware:**

Non nesting spindrift models can have fixed sheeting hardware in the cockpit sole.

- 1 RF4 spring base for fiddle block
- 1 RF41500 fiddle block mounted to cockpit sole
- 1 RF41110 universal becket block
- 1 RF180 boom bail (not pictured)



**Nesting sheeting hardware:**

Nesting Spindrift models must have sheeting hardware mounted to the boom and traveler line across the transom.

- 2 H073 eyestraps for mounting blocks (or use boom bails)
- 2 RL301 medium single block
- 1 RF301B medium becket block

Sheeting hardware for **nesting** hulls



**Additional hardware for reefing models:**

Note: For reefing models a tack fitting is added to the standard gooseneck as shown below.

- 1 CL211 Aluminum clamcleat for halyard
- 1 CL814 anti re-cleat cover for clamcleat
- 3 RL340 cheek blocks (reefing clew, halyard, and block to
- 1 H073 eyestraps for reefed clew
- 1 H072 D-shackle for halyard block
- 1 RL201 single block for halyard
- 1 RF20101 20mm single block for reefing tack. Tie to sail at reefed tack position.
- 1 RL328C Gooseneck for reefing sail with tack fitting.



## Additional Options:

Mini bailer option for all **non-nesting** models.



## Oarlocks:

1 pair

2" Oarlocks

1 pair

side mount oarlock sockets

**Lines:**

<b>Description</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>
Main sheet		25	35	
Outhaul		4	4	
Boom vang upper		3	3	
Boom vang lower		8	10	
Downhaul		13	14	
Rudder downhaul		4	4	
Clew lashing	2	2	2	2
1/4" bungee	2	2	2	2
<b>Reefing Option (no downhaul)</b>				
Halyard		40	45	
Reef line		30	30	